

SUPPLIER MATERIAL SAFETY DATA SHEET (MSDS)

N/D=Not Determined
N/A=Not Applicable

Product: VANISH PART 2

Chem. Name: N/A

Chem. Family:

Manufacturer: ESTEAM

Trade Name: Vanish part 2

Use: Part 2 of a 2 part stain remover

Flammability: 0

Reactivity: 1 **Special:** OX

Health: 1

Protection:

NFPA LEAST=0, SLIGHT=1, MODERATE=2, HIGH=3, EXTREME=4

HAZARDOUS INGREDIENTS

Hydrogen Peroxide

CAS #

7722-84-1

% WT

5-15

HAZARD DATA

LD50 2 g/kg (oral-mouse)

EXPOSURE LIMITS (TLV)

2 ppm TWA

PHYSICAL DATA

Physical State: Liquid

Odor/Appearance: Clear liquid no odor

Boiling Point (C): N/D

Freezing Point (C): N/D

Solubility in Water: 100%

Ph (undiluted): 5.7

Evaporation Rate: N/D

Specific Gravity: N/D

Freeze/Thaw

Stable: Yes

Percent Volatile (vol): N/D

Vapor Pressure: N/D

FIRE & EXPLOSION HAZARD

Flammability: N

Means of Extinction: N/A

Special Procedures: N/A

Explosion Sensitivity to Impact: N/A

Chemical Sensitivity to Static Discharge: N/A

Flashpoint (C) & Method: None

Conditions: N/A

Hazardous Combustion Products: Releases oxygen which may intensify fire

Upper Explosion Limit (% by vol): N/A

Lower Explosion Limit (% by vol): N/A

Auto-ignition: N/A

Rate of Burning: N/A

Explosive Power: N/A

TDG/WHMIS: Non hazardous / C, E

REACTIVITY DATA

Chemical Stability: Stable

Hazardous Decomposition Product: None

Incompatible Substances: Reducing agents and all trace contamination, combustible

TOXICOLOGICAL PROPERTIES

Route of Entry - Skin Contact: Y
Route of Entry - Skin Absorption: N
Route of Entry - Eye Contact: Y
Route of Entry - Inhalation: N
Route of Entry - Ingestion: Y

Reproductive Effects Y/N: N
Carcinogenicity Y/N: N
Mutagenicity Y/N: N
Teratogenicity Y/N: N
TLV: N/D

Effects of Overexposure:

Acute Effects:

Severe irritant to eyes, nose, throat and internal organs.

Chronic Effects:

Irritation with discomfort or rash. Inhalation irritating to mucous membrane.

PREVENTATIVE MEASURES

Gloves: Recommended

Footwear: N/A

Clothing: N/A

Eyes: Chemical goggles

Respirator: N/A

Other: N/A

Recommended Engineered Controls:

Use with adequate ventilation.

Leak & Spill Procedures:

Flush to a sanitary sewer with water.

Waste Disposal Methods:

According to federal, provincial and municipal regulations.

Special Handling Procedures:

Store in a cool, dry place away from combustibles and out of direct sunlight.

FIRST AID MEASURES

Inhalation: Move person to fresh air. If necessary give artificial respiration or oxygen. Call a doctor if in distress.

Ingestion: Drink large amounts of water to dilute and call a physician.

Eye Contact: Immediately flush eyes with running water for at least 15 minutes. Contact a physician if irritation persists.

Skin Contact: Immediately flush skin for at least 15 minutes. Launder clothing before reuse. Contact a physician if irritation persists.

Prep./Revised Date: May 1, 2007

Prepared By: R. Russell

Source Material: Manufacturer's MSDS

Emergency Response: 1-613-996-6666 (Transport Emergencies)

Mailing Address: Esteam Manufacturing Ltd.

3750-19th Street NE Calgary, AB T2E 6V2



This information is complete to the best of our knowledge, however, users are encouraged to make their own investigations into the suitability of the information to their particular purposes. READ THE LABEL before using this or any product, and take any necessary precautions, dictated by the label or by common sense to ensure that your health is protected.