## N/D=Not Determined **SUPPLIER MATERIAL SAFETY DATA SHEET (MSDS)** N/A=Not Applicable

**Flammability:** 0 Manufacturer: ESTEAM **Product:** VANISH # 1 Reactivity: Trade Name: Vanish # 1 Chem. Name: N/A Health:

> **Protection:** Use: Part 1 of a 2 part stain remover NFPA LEAST=0, SLIGHT=1, MODERATE=2, HIGH=3, EXTREME=4

**HAZARDOUS INGREDIENTS** CAS# % WT **EXPOSURE LIMITS (TLV)** HAZARD DATA

Agua Ammonia 1336-21-5 <4 LD50 350 mg/kg (oral-rat) 25 ppm Isopropanol 67-63-0 <2 LD50 5045 kg/kg (oral-rat) 400 ppm

PHYSICAL DATA

Chem. Family: Mixture

Stable: Physical Liquid Solubility Boiling **Evaporation Percent** State: **Point (C):** 100 in Water: Rate: Complete Volatile (vol): N/D Clear, mild Specific Freezing Vapor

Appearance: ammonia odor **Point (Č):** 0 (undiluted): 11.4 1.0 **Gravity: Pressure:** 

FIRE & EXPLOSION HAZARD Conditions: N/A

Hazardous Combustion Products: N/A Flammability: N **Means of Extinction:** N/A *Upper Explosion Limit (% by vol):* Lower Explosion Limit (% by vol): **Special Procedures:** N/A N/A

**Auto-ignition:** Explosion Sensitivity to Impact: N/A Rate of Burning: TDG/WHMIS: Non hazardous / D2B Chemical Sensitivity to Static Discharge: N/A

Explosive Power: N/A Flashpoint (C) & Method: N/A

REACTIVITY DATA Chemical Stability: Stable

Incompatible Substances: None Hazardous Decomposition Product: None

TOXICOLOGICAL PROPERTIES

Reproductive Effects Y/N: N/D Route of Entry - Skin Contact: Ν Carcinogenicity Y/N: **Route of Entry - Skin Absorption:** N N/D Route of Entry - Eye Contact: Mutagenicity Y/N: N/D

Repeated or prolonged contact with spray mist may produce Route of Entry - Inhalation: Teratogenicity Y/N: Ν N/D chronic eye irritation and severe skin irritation. Route of Entry - Ingestion: TLV: N/D

**PREVENTATIVE** 

Gloves: N/A Footwear: N/A Clothing: N/A Eyes: Respirator: N/A

Recommended Engineered Controls:

Use with adequate ventilation.

**MEASURES** 

Leak & Spill Procedures:

Chemical goggles

Small quantities may be diluted with water and flushed to a sanitary sewer. Waste Disposal Methods:

According to federal, provincial and municipal regulations.

Effects of Overexposure:

May cause skin and eye irritation.

Acute Effects:

**Chronic Effects:** 

Special Handling Procedures: Keep out of reach of children.

N/A

Freeze/Thaw

N/D

FIRST AID MEASURES

Inhalation: Move person to fresh air. If necessary give artificial respiration or oxygen. Call a doctor if in distress.

Ingestion: Contact a physician.

**Eye Contact:** Immediately flush eyes with running water for at least 15 minutes. Contact a physician if irritation persists.

Skin Contact: Immediately flush skin for at least 15 minutes. Launder clothing before reuse. Contact a physician if irritation persists.

Prep./Revised Date: Mailing Address: Esteam Manufacturing Ltd. January 8, 2010

Prepared By: R. Russell

3750-19th Street NE Calgary, AB T2E 6V2

Other:

**Source Material:** Manufacturer's MSDS

Emergency Response: 1-613-996-6666 (Transport Emergencies)

